

JEWEL•JET™

Bring Home the Brilliance!™

Operating & Safety Instructions v3.0

PATENT NO. 7-257-319-B1



Before you begin using your Jewel Jet read all warnings and guidelines. Failure to observe the following operating and safety guidelines could result in bodily injury or damage to your Jewel Jet Steam Cleaner.



About This Product

This product was developed by jewelry industry professionals with nearly 25 years of experience. Most professional jewelers use a commercial steam cleaner to clean their customers jewelry. This home unit has been industry tested and does an amazing job at about 1/10th the cost. We hope you enjoy the satisfaction of being able to keep your jewelry professionally cleaned between visits to your local jeweler.

Not all jewelry can be steam cleaned. Check with your jeweler first if in doubt.

Jewel Jet has been completely redesigned with these great new features:

- ▶ 2 year warranty
- ▶ New modern styling that is distinctly Jewel Jet
- ▶ Stainless steel boiler
- ▶ Pressurized safety fill cap
- ▶ Auto shut-off after 10 minutes of non-use
- ▶ Locking Tweezers
- ▶ Increased burst steam releases 50% more steam
- ▶ Pressure and heat sensors prevent overheating
- ▶ LED under-lighting makes inspection easier
- ▶ LED indicator light shows when Jewel Jet is ready

Warning

1. Jewel Jet should not be used on soft, porous and/or heat sensitive stones including but not limited to: Emerald, Tanzanite, Garnet, Peridot, Pearl, Coral, Turquoise, Opal, Lapis and jewelry made with glues, including but not limited to costume jewelry.
2. Ensure that the electrical supply in your home is the same is that shown on the underside of the unit. (*AC 120V, 60Hz, 1100W*)
3. Jewel Jet is not a toy. Keep away from children.
4. Water is heated and pressurized when plugged in. Pressurized steam can scald and burn your skin. Use the included Locking Tweezers to keep hands away from steam.
5. Jewel Jet should not be used for any other purpose other than cleaning jewelry.
6. Never operate Jewel Jet without the Water Fill Cap installed and tightened firmly.
7. Fill with water only. Never add any chemical liquids such as detergent, alcohol or cleanser while unit is plugged in. Doing so may damage the unit.
8. Unplug Jewel Jet when no water is inside. Not doing so can damage the heating element.
9. Never refill or remove the Water Fill Cap when Jewel Jet is still hot and under pressure.
10. Always plug Jewel Jet into a 3-prong electrical outlet.
11. Jewel Jet should be unplugged by the plug itself and never by pulling the electrical cord or damage to the unit may result.
12. **Never handle the electrical cord when your hands are wet.** Electrocutation could result.




Before You Begin

All jewelry must be soaked before using it with Jewel Jet for the first time. Soak your jewelry in the Water Fill Cup with 1 Fizzy Tablet for several minutes to loosen dirt and grime on surfaces and in crevices. **Do not put Fizzy Tablets in the Jewel Jet!**

Additional Fizzy Tablets may be purchased from your local Jewel Jet retailer or online at www.jeweljet.com.

Rinse your jewelry to remove all Fizzy Tablet residue. Do not rinse jewelry in the sink without closing the drain stopper. Loose or damaged stones may become dislodged during the cleaning process. Inspect your jewelry before you begin.



Operating Your Jewel Jet

1. Place your Jewel Jet upright on a dry, flat, level surface such as a counter-top.
2. Unscrew the Water Fill Cap and fill the reservoir with 8 oz. of tap water using the included Water Fill Cup. **Do not overfill or water will sputter out of the unit.** *See Fig. 1*
3. Replace the Water Fill Cap and hand-tighten firmly. For safety, the Water Fill Cap is designed to lock under pressure and release steam if the stainless steel tank becomes over-pressurized.
4. Plug your Jewel Jet into a grounded electrical outlet. The unit will automatically heat and pressurize. The LED light on the front of the Jewel Jet will blink red while the unit is heating and turn blue when ready.
5. Using the included Locking Tweezers, Place your jewelry between the Tweezers' rubber tips and slide the lock to secure. Firmly grasp the Tweezers and hold your jewelry about 1/4 inch near the Steam Jet Nozzle. *See Fig. 2*
6. Beginning with the underside of the jewelry piece, press down on the Steam Activator Button using short bursts at 10 second intervals to allow the steam to re-pressurize. Rotate the jewelry to thoroughly clean all areas.



Fig. 1



Fig. 2



7. Inspect your jewelry. Repeat steps 6 and 7 if needed for heavily soiled items.
8. Jewel Jet will shut off after 10 minutes of non-use. Press the “Steam” button to turn the unit back on.
9. When it is necessary to refill the Jewel Jet, **unplug the unit from the electrical outlet** and release the remaining steam by pressing the Steam Activator Button several times. Wait 30 minutes for the unit to cool. **Never handle the electrical cord when your hands are wet.**
10. Allow your jewelry to cool before wearing.
11. When finished using your Jewel Jet, **unplug the unit from the electrical outlet** and release the remaining steam by pressing the Steam Activator Button several times. Let the unit cool down, remove the Water Fill Cap and pour out any remaining water. Allow the unit to cool completely before storage.

Maintenance

Jewel Jet is designed to be very low maintenance. With moderate usage, your Jewel Jet should be cleaned annually.

Tap water leaves residue and calcium deposits that can be flushed out. Use any common cleaner made to remove hard water stains (*make sure it can be used on metal*).

Into a cool Jewel Jet unit, pour 8 oz. of cleaner and let stand for several minutes (*see the product's instructions*). Swish around and pour cleaner out. Rinse thoroughly with water and resume normal use. Never attempt to clean your Jewel Jet until the unit has completely cooled. Clean outer unit with a soft cloth and water.



Warranty

Jewel Jet is ETL listed for use in the U.S. for **indoor use only**. Jewel Jet version 2.1121 is warranted for 2 years from date of purchase against manufacturer defects.

Jewel Jet is not warranted against abuse, misuse or any other use other than for which Jewel Jet is intended.


Removal of the Jewel Jet outer housing or inserting foreign objects inside the Water Fill Reservoir voids warranty.

For warranty claims, return your unit and include the proof of purchase and a \$12.00 check or money order for postage and handling made out to: Jewel Jet, L.P., and Jewel Jet will replace the unit.

Mail by United States Postal Service to:
Jewel Jet, L.P., PO Box 261571, Plano, Texas 75026-1571

To mail by another method, contact customerservice@jeweljet.com

Go to www.jeweljet.com for more information.



Made In China